



BLOCKBUSTER

FIREWOOD PROCESSING EQUIPMENT



TABLE OF CONTENTS

FIREWOOD PROCESSORS

22-22	1
22-20	2
18-20 & 18-20+	3
15-20 & 15-20+	4
14-12 & 14-12+	5

PROCESSING ACCESSORIES

FIREWOOD GRAPPLE	6
FIREWOOD CLEANERS	7
CONVEYORS	8

22-22

4+ Cords/Hour | Logs up to 24" Diameter & 24'+ Length

STARTING AT: \$98,700



STANDARD FEATURES

- » 74HP 4 Cylinder Turbocharged Doosan Diesel Engine
- » 5" Splitting Cylinder for Maximum Splitting Power
- » 3-Strand Hydraulic Powered Log Deck
- » Adjustable Splitting Head, Your Choice of One: 4-, 6- or 8-Way
- » Chain-Driven Log Infeed Trough
- » Hydraulic Saw 18H 90cm Harvester Bar and Chain
- » Hydraulic Stiff Legs for Quick, Easy Setup (Forward Stiff Legs Also Act as Tongue Jack)
- » Air Compressor
- » Tandem Axles Complete with Electric Brakes
- » Safety Glasses
- » Saw Dust Chute
- » Running Lights for Transporting
- » Firewood Clean-Out Grate
- » Hydraulic Oil Cooler
- » Toolbox
- » Operator's Seat
- » Extended Folding Operator's Platform
- » Auto Stop
- » Elevator Hydraulics
- » Auto Saw Chain Tensioner
- » Last Piece Slide Tray

SPECIFICATIONS

- » Cuts up to 24" Diameter and Excess of 24' Lengths
- » Splits Wood from 12" to 22" Lengths
- » Maximum Splitter Opening – 24"
- » Width – Transporting – 7' 11"
- » Width – Operating – 13'
- » Height – Transporting – 9'
- » Height – Operating – 5' 5" to Top of Deck
- » Length – 27' 10"
- » Weight – 10,400 lbs Approximately
- » Log Deck – 10' Long
- » Infeed Log Trough - 16'
- » Hydraulic Tank Capacity – 50 Gallons
- » Fuel Tank Capacity – 25 Gallons
- » Splitter Cycle Time – 4.5 Seconds
- » Capable of Producing 4+ Cords per Hour (128-Cubic Foot Cords)

OPTIONAL EQUIPMENT

- » Operator's Lights
- » Operator's Roof
- » 4-Way, 6-Way, 8-Way or 12-Way Wedge
- » 12' Attached Conveyor
- » Operator's Cab with Heat and Air Conditioning

22-20

3+ Cords/Hour | Logs up to 24" Diameter & 20'+ Length

STARTING AT: \$77,800



STANDARD FEATURES

- » 66HP 4 Cylinder Turbocharged Doosan Diesel Engine
- » 5" Splitting Cylinder for Maximum Splitting Power
- » 3-Strand Hydraulic Powered Log Deck
- » Adjustable Splitting Head, Your Choice of One: 4-, 6- or 8-Way
- » Chain-Driven Log Infeed Trough
- » Hydraulic Saw 18H 90cm Harvester Bar and Chain
- » Air Compressor
- » Single Axle Complete with Electric Brakes
- » Safety Glasses
- » Saw Dust Chute
- » Running Lights for Transporting
- » Firewood Clean-Out Grate
- » Hydraulic Oil Cooler
- » Toolbox
- » Operator's Seat
- » Extended Folding Operator's Platform
- » Elevator Hydraulics
- » Last Piece Slide Tray

SPECIFICATIONS

- » Cuts up to 24" Diameter and Excess of 20' Lengths
- » Splits Wood from 12" to 22" Lengths
- » Maximum Splitter Opening – 24"
- » Width – Transporting – 8'
- » Width – Operating – 11'
- » Height – Transporting – 8' 4"
- » Deck Height – 5' to Top of Deck
- » Length – 25' 6"
- » Weight – 7,900 lbs Approximately
- » 3-Strand Log Deck – 8' Long
- » Infeed Log Trough – 14'
- » Hydraulic Tank Capacity – 33 Gallons
- » Fuel Tank Capacity – 25 Gallons
- » Splitter Cycle Time – 5 Seconds
- » Capable of Producing 3+ Cords per Hour (128-Cubic Foot Cords)

OPTIONAL EQUIPMENT

- » Auto Stop
- » Operator's Lights
- » Operator's Roof
- » Operator's Cab with Heat and Air Conditioning
- » Auto Saw Chain Tensioner
- » 4-Way, 6-Way, 8-Way or 12-Way Wedge
- » 12' Attached Conveyor

18-20

2+ Cords/Hour | Logs up to 20" Diameter & 20'+ Length

STARTING AT: \$65,900



FIREWOOD PROCESSORS

STANDARD FEATURES

- » 49HP 3 Cylinder Turbocharged Doosan Diesel Engine
- » 4" Splitting Cylinder
- » 3-Strand Hydraulic Powered Log Deck
- » Adjustable Splitting Head, Your Choice of One: 4- or 6-Way
- » Chain-Driven Log Infeed Trough
- » Hydraulic Saw 18H 75cm Harvester Bar and Chain
- » Air Compressor
- » Single Axle Complete with Electric Brakes
- » Safety Glasses
- » Saw Dust Chute
- » Running Lights for Transporting
- » Firewood Clean-Out Grate
- » Hydraulic Oil Cooler
- » Tool Box
- » Operator's Seat
- » Extended Folding Operator's Platform
- » Elevator Hydraulics

SPECIFICATIONS

- » Cuts up to 20" Diameter and Excess of 20' Lengths
- » Splits Wood from 12" to 22" Lengths
- » Maximum Splitter Opening – 24"
- » Width – Transporting – 6' 6"
- » Width – Operating – 9' 6"
- » Height – Transporting and Operating – 7'
- » Length – 25'
- » Weight – 7,000 lbs Approximately
- » 3-Strand Log Deck – 5' Long
- » Infeed Log Trough – 14'
- » Hydraulic Tank Capacity – 24 Gallons
- » Fuel Tank Capacity – 25 Gallons
- » Splitter Cycle Time – 5.5 Seconds
- » Capable of Producing 2+ Cords per Hour (128-Cubic Foot Cord)

OPTIONAL EQUIPMENT

- » Auto Stop
- » Operator's Lights
- » Operator's Roof
- » Last Piece Slide Table
- » 12' Attached Conveyor
- » 4-Way, 6-Way, 8-Way or 12-Way Wedge

18-20+

Cuts up to 24" diameter

STARTING AT: \$70,300

Same specifications as 18-20 as well as:

- » Larger Offset Frame
- » 3-Strand 8' Infeed Deck
- » 5" Splitting Cylinder
- » Heavier Axle & Wheels
- » Off Set with Slide Tray
- » Up to 12-Way Wedge
- » Larger Saw Bar - 18H 90cm
- » Optional Operator's Cab with Heat and Air Conditioning
- » Optional Auto Saw Chain Tensioner

15-20

1.5+ Cords/Hour | Logs up to 15" Diameter & 20'+ Length

STARTING AT: \$38,800



STANDARD FEATURES

- » 33HP 3 Cylinder Turbocharged Doosan Diesel Engine
- » 4" Splitting Cylinder
- » 3-Strand Hydraulic Powered Log Deck
- » Adjustable Splitting Head, Your Choice of One: 4- or 6-Way Head
- » Chain-Driven Log Infeed Trough
- » Hydraulic Saw 18H 64cm Harvester Bar and Chain
- » Single Axle
- » Safety Glasses
- » Saw Dust Chute
- » Running Lights for Transporting
- » Firewood Clean-Out Grate
- » Toolbox
- » Electric Brakes
- » Elevator Hydraulics

SPECIFICATIONS

- » Cuts up to 15" Diameter and Excess of 20' Lengths
- » Splits Wood from 12" to 22" Lengths
- » Maximum Splitter Opening – 24"
- » Width – Transporting – 7' 3"
- » Width – Operating – 8' 10"
- » Height – Transporting – 6' 6"
- » Height – Operating – 4' to Top of Deck
- » Length – 21' 6"
- » Weight – 5,200 lbs Approximately
- » 3-Strand Log Deck – 5' Long
- » Infeed Log Trough – 14'
- » Hydraulic Tank Capacity – 25 Gallons
- » Fuel Tank Capacity – 25 Gallons
- » Splitter Cycle Time – 6.5 Seconds
- » Capable of Producing 1.5+ Cords per Hour (128-Cubic Foot Cord)

OPTIONAL EQUIPMENT

- » Operator's Lights
- » Last Piece Slide Table
- » 37HP Vanguard EFI Gas Engine
- » 12' Attached Conveyor
- » 4-way, 6-way, or 8-way Wedge

15-20+

Cuts up to 20" Diameter

STARTING AT: \$43,000

Same specifications as 15-20 as well as:

- » 5" Splitting Cylinder
- » Larger Infeed Trough
- » Larger Splitter Beam
- » Larger Saw Bar - 18H 75cm
- » Up to 8-Way Wedge

14-12

1+ Cord/Hour | Logs up to 14" Diameter & 14'+ Length

STARTING AT: \$32,400



STANDARD FEATURES

- » 37HP Vanguard EFI Gas Engine
- » 4" Splitting Cylinder
- » 2-Strand Hydraulic Powered Log Deck
- » Adjustable Splitting Head, Your Choice of One: 4- or 6-Way
- » Chain-Driven Log Infeed Trough
- » Hydraulic Saw 18H 64cm Harvester Bar and Chain
- » Single Axle
- » Safety Glasses
- » Saw Dust Chute
- » Running Lights for Transporting
- » Firewood Clean-Out Grate
- » Toolbox
- » Electric Brakes
- » Elevator Hydraulics

SPECIFICATIONS

- » Cuts up to 14" Diameter and Excess of 14' Lengths
- » Splits Wood from 12" to 22" Lengths
- » Maximum Splitter Opening – 24"
- » Width – Transporting – 7' 3"
- » Width – Operating – 8' 10"
- » Height – Transporting – 6' 6"
- » Height – Operating – 4' to Top of Deck
- » Length – 17' 6"
- » Weight – 3,500 lbs Approximately
- » Infeed Log Trough – 10'
- » Hydraulic Tank Capacity – 25 Gallons
- » Fuel Tank Capacity – 12 Gallons
- » Splitter Cycle Time – 6.5 Seconds
- » Capable of Producing 1+ Cords per Hour (128-Cubic Foot Cords)

OPTIONAL EQUIPMENT

- » Operator's Lights
- » Last Piece Slide Table
- » 12' Attached Conveyor

14-12+

Cuts up to 20" Diameter

STARTING AT: \$35,500

Same specifications as 14-12 as well as:

- » 5" Splitting Cylinder
- » Larger Infeed Trough
- » Larger Splitting Beam
- » Larger Saw Bar - 18H 75cm
- » Hydraulics for Conveyor
- » Up to 8-Way Splitting Wedge

FIREWOOD GRAPPLE

STARTING AT: \$4,900



STANDARD FEATURES

- » Rugged Construction
- » 6' Wide
- » Grease Zerks on Pivot Points
- » Cylinders Clamp Independently
- » Quick Attachments to Fit Skidsteers or Loader Tractors
- » Use to Handle Firewood, Logs, Brush, Debris and Landscaping Projects



BASIC MODEL FIREWOOD CLEANER

STARTING AT: \$16,300



STANDARD FEATURES

- » 4' X 8' Barrel – 1 ½" Spacing – Chain Drive – Steel Roller Guides
- » Load with 6' Bucket or Optional Elevator
- » Power with Optional 10HP Power Pack or Elevator Hydraulics
- » Larger Power Pack Available to Run Optional Out-Feed Elevator
- » Minimum Clearance Height 4'
- » Adjustable Discharge Height from 4' to 7'
- » Wheel Kit
- » Adjustable/Removable Discharge Chute
- » 8' Wide Infeed Trough

SELF-CONTAINED FIREWOOD CLEANER

STARTING AT: \$35,400



STANDARD FEATURES

- » 4' X 8' Barrel – 1 ½" Spacing – Chain Drive – Steel Roller Guides
- » 22HP Honda Engine – Electric Start – Tandem Pump
- » 12' Dual Chain Infeed Elevator with Removable Front
- » Use with Skid Loader or Directly off the Firewood Processor
- » Solid Axle and Pintle Ring for Easy Portability
- » Flow Control on Infeed Elevator to Control Feed Rate
- » Hydraulic Stiff Leg Adjustment to Control Rate of Cleaning
- » Bubble Level for Visual Angle Adjustment
- » Aux. Elevator Hookups with Independent Hydraulic Valve
- » 4' Clearance for Debris
- » Discharge Chute

CONVEYORS

MODEL LE-30



MODEL LE-20



MODEL 12-ATT



STANDARD FEATURES

- » All Firewood Conveyors Have Dual Steel Chains and Paddles for Durability and Strength
- » Firewood Conveyors are Hydraulically Raised and Lowered for Desired Heights
- » Pivoting Wheels For Radial Stacking On Non-Attached Conveyors
- » Removable Side Plates On Non-Attached Conveyors

OPTIONAL EQUIPMENT

- » Grizzly Bars
 - » Mounted at the end of the conveyor to sift out bark, and debris for cleaner firewood.



MODEL	LENGTH	LOADING HEIGHT	STARTING AT
Model LE-40	40'	19'	\$19,300
Model LE-30	30'	15'	\$16,600
Model LE-20	20'	11'	\$15,500
Model 12-ATT	12'	8'	\$8,500

MADE IN THE
USA

BLOCKBUSTER-INC.COM

888.775.4883





STAND CLEAR
WHEN FOLDING DECK

PINCH POINT

DIESEL FUEL

BLOCKBUSTER, INC.

BLOCKBUSTER-INC.COM | 888.775.4883

BLOCKBUSTER INC.
LOG PROCESSORS
FIRE
BUCKY AVE.
SANT, IA. 52641
SPLITTER
buster-inc.com
18-20